Science lib.
Direct

Science Library
QL
1
.C22I-

SECTION D

INDEX TO VOLUME 25

Authors

Banfield, A. W. F.—A study of the winter feeding habits of the short-eared owl (Asio flammeus) in the Toronto region, 45.

Benham, G. H.—See Swales, W. E.

Butler, L.—The genetics of the colour phases of the red fox in the Mackenzie River locality, 190.

Choquette, L. P. E.—Phyllodistomum lachancei sp. nov., a trematode from the ureters of Salvelinus fontinalis (Mitchill), with a note on its pathogenicity, 131.

Cowan, I. McT.—The timber wolf in the Rocky Mountain National Parks of Canada, 139.

Judd, W. W.—The proventricular region of Machilis variabilis Say (Thysanura: Machilidae), 135. The proventriculus of the larva of the caddis-fly, Macronema zebratum Hagen (Trichoptera: Hydropsychidae), 87. The proventriculus of Staphylinus badipes Lec. (Coleoptera: Staphylinidae), 119.

Kropp, B. N.—The effect of temperature on the rate and variation of opercular movement in Fundulus diaphanus diaphanus, 91.

Miller, M. J.—Studies on the life history of Trichocephalus vulpis, the whipworm of dogs, 1.

Morrison, F. O.—See Proverbs, M. D.

Proverbs, M. D. and Morrison, F. O.—The relative insecticidal activities of DDT and related organic molecules, 12.

Salt, R. W.—Some effects of temperature on the production and elimination of diapause in the wheat stem sawfly, Cephus cinctus Nort., 66.

Swales, W. E. and Benham, G. H.—On the chemotherapy of caecal coccidiosis (Eimeria tenella) of chickens. III. Observations on sulphonamides in the intestinal tract and blood, 122.

West, A. S., Jr.—The California flatheaded borer (Melanophila californica Van Dyke) in ponderosa pine stands of northeastern California, 97.

Wilder, D. G.—A comparative study of the Atlantic salmon, Salmo salar Linnaeus, and the lake salmon, Salmo salar sebago (Girard), 175.

SECTION D

INDEX TO VOLUME 25

Subjects

Asio flammeus, See Owl.

Atlantic salmon, See Salmo salar.

Blood, See Coccidiosis.

Borer, See California flatheaded borer.

Caddis fly, Macronema zebratum (Trichoptera: Hydrosychidae), Proventriculus of larva of, 87.

California flatheaded borer (Melanophila californica) in ponderosa pine stands of Northeastern California, 97.

Canada, See Timber Wolf.

Cephus cinctus, See Sawfly.

Chemotherapy, See Coccidiosis.

Chickens, See Coccidiosis.

Coccidiosis, Chemotherapy of caecal coccidiosis (Eimeria tenella) of chickens. Observations on sulphonamides in the intestinal tract and blood, 122.

Coleoptera, See Staphylinus.

Colour, See Red Fox.

DDT, Insecticidal activities of, 12.

Diapause, See Sawfly.

Dog, See Trichocephalus vulpis.

Eimeria tenella, See Coccidiosis.

Feeding habits, See Owl.

Flatheaded borer, See California flatheaded borer.

Fox, See Red Fox.

Fundulus, See Opercular movement.

Genetics, See Red Fox.

Hydropsychidae, See Caddis-fly.

Insecticidal activities of DDT and related organic molecules, 12.

Intestinal tract, See Coccidiosis.

Lake salmon, See Salmo salar.

Larva, See Caddis-fly.

Machilidae, See Machilis.

Machilis variabilis (Thysanura: Machilidae), Proventricular region of, 135.

Mackenzie River, See Red Fox.

Macronema zebratum, See Caddis-fly.

Melanophila californica, See California flatheaded borer.

Opercular movement in Fundulus diaphanus diaphanus, Effect of temperature on rate and variation of, 91.

Organic molecules related to DDT, Insecticidal activities of, 12.

Owl, Short-eared, Winter feeding habits of, in the Toronto region, 45.

Pathogenicity, See Phyllodistomum.

Phyllodistomum lachancei sp. nov., a trematode from the ureters of Salvelinus fontinalis, with a note on its pathogenicity, 131.

Pine, Ponderosa, See California flatheaded borer.

Ponderosa pine, See California flatheaded borer.

Proventriculus, See Caddis-fly, Machilis, and Staphylinus.

Red fox, Genetics of the colour phases of, in the Mackenzie River locality, 190.

Rocky Mountain National Parks, See Timber wolf.

Salmon, See Salmo salar.

Salmo salar (Atlantic salmon), Comparison of, with Salmo salar sebago (lake salmon), 175.

Salmo salar sebago, See Salmo salar.

Salvelinus fontinalis, See Phyllodistomum.

Sawfly, Wheat stem (Cephus cinctus), Some effects of temperature on the production and elimination of diapause in, 66.

Staphylinidae, See Staphylinus.

Staphylinus badipes (Coleoptera: Staphylinidae), Proventriculus of, 119.

Sulphonamides, See Coccidiosis.

Temperature, See Opercular movement and Sawfly.

Thysanura, See Machilis.

Timber wolf in the Rocky Mountain National Parks of Canada, 139.

Toronto region, See Owl.

Trematode, See Phyllodistomum.

Trichocephalus vulpis, whipworm of dogs, Life history of, 1.

Trichoptera, See Caddis-fly.

Ureter, See Phyllodistomum.

Wheat stem sawfly, See Sawfly.

Whipworm, See Trichocephalus vulpis.

Winter feeding habits, See Owl.

Wolf, See Timber wolf.